

## C | 4i

- x É 9 ý ß
- x | ä ä
- x ³ œ Y » a — ‹
- x / 6
- x ... FN ‘
- x N 96 Ī Ō \* ' 2 / Ü ~ g ! Ō ~ @ f Ü ~ F
- ç n h
- x v Ā ‘



## C | 5 é

\* (< 9 99 © ç < J I ô < J I DC-DC ô E ~ D } k ç ý µ 98 9 ~ 15 Vdc k ý ß  
 9 < J lož 4 © ç D } © F 6 Ī Ō \* ' 2 / Ü ~ • ò — ‹ ož c ž ... FN ‘ ¾ © ‘ š 4 4 . D  
 } — ž I ô ož

## ¹ Y æ =

Ī P Ō 8	Ī ' Ō 8 Ÿ	Ī P Ō W Ÿ	£ Ü Ī P '	Ī ' (1)	¹ Y
24 Vdc	9 ~ 15 Vdc	0 ~ 85 mA	2.04 W	90%	DBV-002S024SS

I u g h y Ī Ū ^ y < J I k ç ú g ! Ō ~ @ f † • " hož

## Ī ' 4i x

? d	£ 3 š	Ā 1 š	£ Ü š	Ō I
ý µ 98	9 Vdc	-	15 Vdc	
ý µ + v v	-	-	200 mA	< J I k ç ú

I u ñ Ā Ā @ f ® " † q Ō Ń ñ O y Á ° › k Ō ð h ø " Ū ož

## Ī P 4i x

? d	£ 3 š	Ā 1 š	£ Ü š	Ō I
ý ß 9	-	24 V	-	ç ú
ý ß 9 ± †	-5%Vo	-	5%Vo	ç ú
ý ß v 8	0 mA	-	85 mA	
È ý ß 9 ¼ f (pk-pk)	-	-	2%Vo	" P f ~ 3 . ` k ! Ū ^ k ý ß w Ā f , G ĩ y f , † ož

## Ī p4i x

? d	£ 3 š	À 1 š	£ Ü š	Ô I
¿ Ā² ... ä	-	-	±3%	¿ ú
¿ ú² ... ä	-	-	±3%	
•Ñ o ž•	-	-	0.5 s	< J I k ¿ ú
“ † © f	-	0.03%/ ¢	-	Ó “ =0 ¢-Tc Ā Ý ›

I u ñ Ā Ā @ f ® “ † q) Ō Ñ ñ O y Á ° › k Ō đ h ¢ “ Ū o ž

## P á é

? d	£ 3 š	À 1 š	£ Ü š	Ô I
ä @12Vdc:	-	90%	-	¿ ú k q ê “ z
u ® — { ž ž •	-	7,211,000 Hours	-	12Vdc k ê “ -k ¿ ú 3 / 2 .* ( 1 ,

Ā ‘ Ó “


-40°C

-

+75 ¢

v Ā ‘ ñ + • Ā ‘ Ó “  
~ † y 10% RH to 100% RH

] · Ž




• õ x

¿ d	Ô I
... FN '	FN ž k D } — C oož

/ L x "


Ž š ø	x	Ô I
ž )	NC	N ñ 2 + * Ü ~ 5 : 6 ê : SUT
R ) )	Return	ü › N a ' Z
ò ) )	+12V	N ñ 2 + * Ü ~ 12V ü ›
- )	DA+	* ' 2 / ' Z ý ß k N ñ 2 + * Ü ~ * ' 2 / N M
± )	DA-	* ' 2 / ' Z ý ß k N ñ 2 + * Ü ~ * ' 2 / N M
ò ) )	+24V	< ü › ý ß k N O ò — Ò
- )	DA+	* ' 2 / ' Z ý µ k N * ' 2 / O
± )	DA-/Return	* ' 2 / ' Z ý µ k N * ' 2 / O



« — æ =

x æ c	C   ' Y	Ô I
EBS	EBS-040SxxxBTE	
	EBS-120SxxxBTE	
EUD	EUD-075SxxxBT/BV	
	EUD-150SxxxBTA/BVA	
	EUD-200SxxxBTA/BVA	
	EUD-240SxxxBTA/BVA	

2 Ā ø



T\_ 8U.9 L-

D} ... ` , s 6 X

+ ;ož

' [ b ç

' X • N	• -	' X 5 é		
		• ù	Q	è
2019-02-21	A	G g		
2019-06-13	B	Ü ~ F ç n	EBS-120SxxxBTE EUD-075SXXXBT/BV EUD-200SXXXBTA/BVA EUD-240SXXXBTA/BVA	• í